

Internship Proposal

Proposal By: Eurico Morais de Sá | eurico.sa@i3s.up.pt

Proposal At: 2024-04-10

Contact: eurico.sa@i3s.up.pt

Project Title:

Making tissues robust by self-recovery of epithelial organisation

Level:

Master Student

Project Summary:

Apical-basal organisation confers direction to the specialized functions of epithelial tissues (e.g. absorption and secretion) and ensures their ability to compartmentalize all animal organs. Work from a variety of groups, including our own (Morais-de-Sa et al., 2010; Moreira et al., 2019; Ventura et al., 2020), has established that epithelial cells use a conserved set of polarity factors to define apical and basolateral domains, while positioning intercellular junctions. Loss of apical-basal organization underlies debilitating disorders, including diseases of the gastrointestinal tract and cancer (Halaoui & McCaffrey, 2015; Schneeberger et al., 2018). Importantly, transient exposure of epithelial tissues to external challenges, such as smoke and bacterial infection, disrupts apical-basal organization and can drive precancerous lesions. However, how and if differentiated epithelial cells have intrinsic potential to restore apical-basal organization remains unknown. We developed unique optogenetic approaches that enable high-temporally controlled disruption a central regulator of apical-basal polarity, atypical Protein kinase C (aPKC) (Osswald et al., 2022). Taking advantage of the reversibility of optogenetic control, we obtained evidence for the ability of epithelial tissues to self-recover apical-basal organisation, and are now characterising this unexplored property of epithelial cells to uncover pathways that maintain epithelial function and prevent cancer development.

Work to be developed by the student:

The student will use *Drosophila* genetics and range of microscopy techniques (including spinning disk confocal microscopy and super-resolution approaches (STED and SIM) and atomic force microscopy in *Drosophila* ovaries cultured ex-vivo), optogenetic perturbation approaches and molecular biology, contributing to the following tasks:

GOAL 1) Characterize the dynamic recovery of apical-basal organization after transient polarity disruption

Combining optogenetic approaches with quantitative imaging in *Drosophila* tissues, the student will contribute to comprehensive characterization of the dynamic recovery of functional apical-basal organization. To this end, the student will cross-correlate the redistribution of markers of different subcellular domains and of the actomyosin network with unprecedented detail using live imaging approaches and super-resolution microscopy (STED (stimulated emission depletion microscopy), SIM (Structured illumination microscopy)).

GOAL 2) Define molecular cues provided by the extracellular matrix that promote the recovery of epithelial polarity

The extracellular matrix (ECM) may provide a biomechanical cue for polarization. To investigate this, the student will use a) Atomic Force Microscopy to measure ECM stiffness after different periods of polarity disruption/recovery, and b) tissue-specific RNAi to pinpoint components of the cell-ECM interface that contribute to polarity recovery.

References:

- Halaoui, R., & McCaffrey, L. (2015). Rewiring cell polarity signaling in cancer. *Oncogene*, 34(8), 939-950. <https://doi.org/10.1038/onc.2014.59>
- Morais-de-Sa, E., Mirouse, V., & St Johnston, D. (2010). aPKC phosphorylation of Bazooka defines the apical/lateral border in *Drosophila* epithelial cells. *Cell*, 141(3), 509-523. <https://doi.org/10.1016/j.cell.2010.02.040>
- Moreira, S., Osswald, M., Ventura, G., Goncalves, M., Sunkel, C. E., & Morais-de-Sa, E. (2019). PP1-Mediated Dephosphorylation of Lgl Controls Apical-basal Polarity. *Cell Rep*, 26(2), 293-301 e297. <https://doi.org/10.1016/j.celrep.2018.12.060>
- Osswald, M., Barros-Carvalho, A., Carmo, A. M., Loyer, N., Gracio, P. C., Sunkel, C. E., Homem, C. C. F., Januschke, J., & Morais-de-Sa, E. (2022). aPKC regulates apical constriction to prevent tissue rupture in the *Drosophila* follicular epithelium. *Curr Biol*, 32(20), 4411-4427 e4418. <https://doi.org/10.1016/j.cub.2022.08.063>
- Schneeberger, K., Roth, S., Nieuwenhuis, E. E. S., & Middendorp, S. (2018). Intestinal epithelial cell polarity defects in disease: lessons from microvillus inclusion disease. *Dis Model Mech*, 11(2). <https://doi.org/10.1242/dmm.031088>

Ventura, G., Moreira, S., Barros-Carvalho, A., Osswald, M., & Morais-de-Sa, E. (2020). Lgl cortical dynamics are independent of binding to the Scrib-Dlg complex but require Dlg-dependent restriction of aPKC. *Development*, 147(15). <https://doi.org/10.1242/dev.186593>

